TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3189 (6-51)

Vincent R Roy. BM-1
Officer in Charge.

LIGHTSHIP OR LIGHT STATION LOG
MONTHLY SUMMARY
(Fill Out on Last Day of Month)

U. S. COAST GUARD Rose Island 00 Light Station 00 MONTH OF August 00

SUPPLIES *(Light Station Only)*

	FUEL	DIESEL OIL, GAL.	GASOLINE, GAL.	LUB. OIL, GAL.	WATER, GAL.		
Gull Rocks L/S		547	Good				
RECEIVED	~~3,000~~ 3,908		NONE	20	10,000		
EXPENDED	~~430~~ 2,98		100	NONE	2,000		
REMAINING	~~2,570~~ 3,610		185	20	8,000		

SUMMARY OF OPERATION *(Low Visibility, Fog and Calibration)*

	FOG SIGNAL	RADIO BEACON		
		LOW VISIBILITY	REGULAR CALIBRATION	SPECIAL BEACON CALIBRATION
TOTAL PREVIOUS MONTHS OF YEAR	1,356.50	HR.	HR.	HR.
TOTAL THIS MONTH	110 HR.	HR.	HR.	HR.
TOTAL YEAR TO DATE	1,466.50	HR.	HR.	HR.

GENERAL REMARKS ON CONDITION AND OPERATION OF UNIT
(Use Reverse Side for Additional Remarks. Explanation shall be made when "fair" or "poor" is checked)

	EXCELLENT	GOOD	FAIR	POOR	REMARKS
BUILDINGS OR HULL		X			
ILLUMINATING APPARATUS	X				
FOG SIGNAL		X			
RADIOBEACON					
MACHINERY					
BOATS (BY NO.)					
16585		X			
VEHICLES (BY NO.)					

NUMBER DISABLING INJURIES REPORTED 00 DAYS LOST 00 ACCIDENTAL DAMAGE TO PROPERTY, $ 00

OTHER AIDS TO NAVIGATION FOR WHICH RESPONSIBLE

NAME	LL. NO.	CONDITION	REMARKS
Gull Rocks L/S	547	Good	

(Use Other Side if Necessary)

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

U. S GOVERNMENT PRINTING OFFICE 16—63539-2

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 1 August 1961 Tue. LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	2988		68	F	NS	10	2		
0400	SW	2	2986		68	BC	NS	10	8		
0800	NW	2	2998		70	BC	AS/ST	4	8		
1200	NW	1	2996		76	BC	AS/ST	4	8		
1600	calm		3004		74	BC	AS/ST	4	8		
2000	calm		3008		68	BC	AS/ST	5	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3908	21	6200
EXPENDED	10	—	200
REMAINING	3898	21	6000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	4	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	02.15	2	15	15
TOTAL FOR DAY		2	15	15
TOTAL FOR MONTH		2	15	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked Vis. A/N
0215 Secured Fog Horn & Gull Rks. Bell
0400 Checked Vis. A/N
0500 Secured Main Light
0800 Colors, Turn To
1200 Chow
1300 Turn To
1400 SUTTON SN Departed on Liberty
1600 Checked Vis. A/N
1700 Secured Station Work
2000 Torned on Main Light
2008 Colors

L. G. White En-2

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 2-August 1961 Wen LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	calm		3010		65	BC	AS/ST	5	8		
0400	calm		3012		68	BC	AS/ST	6	8		
0800	calm		3014		69	BC	AS/ST	7	8		
1200	~~CAL~~ W	1	30.14		74	C	AS/ST	7	8		
1600	S	1	30.09		71	C	NS	8	8		
2000	S	1	3008		68	C	NS	8	8		

SUPPLIES (Vessel Report Daily)	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3898	21	6000
EXPENDED	10	–	100
REMAINING	3888	21	5900

COMPLEMENT	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked Vis A/N

0400 Checked Vis. A/N

0500 Secured Main Light

0800 Colors, Turn To

0745 CG 40522 moored Station

0830 CG40522 departed Station

1030 Roy & White departed for Gull Rocks

1200 Chow down

1300 Turned too

1600 Roy & White returned Station

1630 Secured from Station work

2000 ~~turned on Main Light Colors~~

2008 Colors

W J Murphy FN

CERTIFIED TO BE CORRECT

Vincent P. Roy
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 3 August 1961 Thurs LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	S	1	3004		67	OF	NS	10	6		
0400	S	1	3000		68	OF	NS	10	6		
0800	S	1	2996		70	OF	NS	10	6		
1200	S	1	2996		62	O	NS	10	6		
1600	SW	1	29.93		70	C	ST/AS	10	8		
2000	SW	1	29.93		68	C	ST/AS	10	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3888	21	5900
EXPENDED	15	—	200
REMAINING	3873	21	5,700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	2	
ATTACHED	2	
AL, AWL, AOL		
AH		
PRESENT	J	

MAIN LIGHT Time Extinguished 0500 Time Lighted 1945

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000. Checked vis a/n

0400 Checked vis a/n

0800 Morning colors, turned too

1200 Chow down

1230 CG 40522 moored unit

1235 CG40522 departed, with Murphy, for chow run

1330 CG40522 moored unit

1400 CG40522 departed unit.

1630 Secured for station work
2008 Colors, main light on
2110 Safety drill, Emergency power failure
2115 Secured from drill
2120 Held fire drill
2125 Secured from fire drill

Walter J. Murphy

2140 HELD EMERGENCY FOG SINGNAL DRILL

2145 SECURED FROM DRILL.

Vincent R. Roy BM1

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 4 August 1961 Fri (Insert day of week, day, month, year) LOCATION Newport, RI

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	N	2	29.93	—	68	0	AS/ST	10	8	—	—
0400	N	3	29.94	—	67	0	AS/ST	10	8	—	—
0800	N	3	29.94	—	66	0	AS/ST	10	8	—	—
1200	N	1	29.94	—	68	0	AS/ST	10	8	—	—
1600	N	1	29.93	—	70	0	AS/ST	10	8	—	—
2000	N	1	29.93	—	70	0	AS/ST	10	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3,873	21	5,700
EXPENDED	10	1	200
REMAINING	3,863	20	5,500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 CHECKED ALL VIS A/N
0400 CHECKED ALL VIS A/N
0500 SECURED MAIN LIGHT
0800 MADE MORNING COLORS TURNED TO
STATION WORK.
0900 STARTED STATION GENERATORS
1000 SECURED STATION GENERATORS.
1200 Chow down, Sutton returned from Liberty
1280 White & Roy departed on Liberty
1300 Turned Too
1630 Secured from STATION WORK
2000 Main light on
2007 Evening colors

Walter J. Murphy

CERTIFIED TO BE CORRECT
Vincent R. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 5 August 1961 Sat LOCATION Newport, RI
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	–	–	29.95		68	OC	AS/ST	10	8	–	–
0400	N	1	29.97		67	O	NS	10	7	–	–
0800	N	1	29.99		66	O	NS	10	6	–	–
1200	N	1	29.96		68	O	N	10	7	–	–
1600	N	1	29.95		72	C	NS	10	8	–	–
2000	NE	1	29.94		69	BC	AS/ST	10	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3863	20	5500
EXPENDED	10	–	200
REMAINING	3853	20	5,300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

RADIOBEACON (Low visibility and calibration time only)

FOG SIGNAL TIME START	FOG SIGNAL TIME STOP	SIGNAL OPERATED		AIR PRESSURE	RADIOBEACON TIME START	RADIOBEACON TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
										REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH					TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all A/N vis

0400 Checked all A/N vis

0500 Main light extinguished

0800 Morning colors, turned to on station work

1200 Chow down - Checked all vis A/N

1300 turned too

1600 Secured from station work
Checked All vis A/N

1630 Chow

2000 Main light on - Checked all vis A/N

2010 Evening colors

Walter J Murphy Fn

CERTIFIED TO BE CORRECT

Vincent P. Roy
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 6 AUGUST 1961 Sun (Insert day of week, day, month, year) LOCATION Newport, RI

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NE	1	29.94		70	BC	AS	6	8		
0400	S~~E~~	1	29.95		70	BC	AS	4	8		
0800	SW	1	29.95		70	BC	AS	2	8		
1200	SW	1	29.98		71	B	—	—	8		
1600	SW	1	29.95		72	B	—	—	8		
2000	SW	1	29.95		69	B	—	—	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3853	20	5300
EXPENDED	10	—	200
REMAINING	3843	20	5100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 checked all vis A/N
0400 checked all vis A/N
0500 Secured main light
0800 Morning colors + checked All vis A/N
1200 chow - Checked all vis A/N
1400 Murphy FN departed enroute castle Hill LBS
1600 checked all vis A/N
1630 chow
1730 Murphy FN returned from castle Hill LBS
2000 Turned on main light
2010 Evening colors
checked all vis A/N

Walter J Murphy Jr

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 7 August 1961 Mon LOCATION Newport, RI
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	29.95	-	68	BC	AS/ST	10	8	-	-
0400	SW	1	29.95	-	69	OZ	AS/ST	10	8	-	-
0800	SW	1	29.95	-	70	RAIN	NS	10	6	-	-
1200	SW	1	29.93	-	73	BC	AS/ST	9	7	-	-
1600	SW	3	29.91	-	72	2/BC	AS/ST	9	8	-	-
2000	SW	2	29.90	-	71	2/BC	AS/ST	9	8	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3843	20	5100
EXPENDED	10	-	200
REMAINING	3833	20	4900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked ALL A/N vis
0400 Checked ALL A/N vis
0500 MAIN LIGHT EXTINGUISHED
0800 COLORS, QUARTERS, TURNED TO
1015 ~~Roy~~ V. white L.G. returned to station from
1030 Liberty - Murphy W.J. departed on liberty
1230 Secured for chow - Checked All vis A/N
1300 Turned To
1600 Secured from station work - checked all vis A/N
1630 Chow
2000 Main light on - checked all vis A/N
2010 Evening colors
2015 Roy - V.R. + white L.W. departed in station dingy
To relight Gull Rocks light

~~Walter J.~~
Walter J. Murphy Jr

CERTIFIED TO BE CORRECT

Vincent R Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 8 August 1961 Tue. LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SWS	1	29.91		70	B	—	—	8	—	—
0400	W	1	29.92		70	B	—	—	8	—	—
0800	W	1	2993		76	B	—	—	8	—	—
1200	W	1	2994		82	B	—	—	8		
1600	SSW	1	2994		78	B	—	—	8		
2000	SSW	1	2994		72	B	—	—	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3833	20	4900
EXPENDED	10	-	200
REMAINING	3823	20	4700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 checked all vis A/N

0400 checked all vis A/N

0500 Secured main light

0800 Colors - checked all vis A/N

Quarters - Turned to station work

1100 Sutton SN Departed on Liberty

Gave 4 gals gas for Castle Hill outboard

1200 Chow

1300 turn to

1600 secured station work

1930 turn on Main Light

Evening Colors

L G White En-2

CERTIFIED TO BE CORRECT

Vincent R. Roy

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 9 August 1961 Wen LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	calm		2996		70	B			8		
0400	calm		2999		69	B			8		
0800	calm		3004		70	B			8		
1200	calm		3004		86	B			8		
1600	calm		3008		76	B			8		
2000	calm		3008		68	B			8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3823	20	4700
EXPENDED	10	—	200
REMAINING	3813	20	4500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked Vis A/N
0400 Checked Vis A/N
0500 Secured Main Light
0800 Morning Colors Turn To Station Work
0900 Expended 9 gals. Gas 1½ qt. oil for Out Board Motor
1200 chow
1300 Turn To
1600 Secured Station Work
1930 Started Main Light
2000 Evening Colors

L H White EN-2

CERTIFIED TO BE CORRECT

Vincent P. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 10 August 1961 Thur. LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	3008		68	B			8		
0400	SW	1	3010		74	B			7		
0800	SW	1	3012		86	BZ	AS/ST	7	6		
1200	SW	1	30.13		90	BZ	AS/ST	7	6		
1600	SW	1	30.09		83	O/F	NS	10	2		
2000	SW	1	30.05		76	OF	NS	10	1		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3813	20	4500
EXPENDED	10	—	200
REMAINING	3,810	20	4,300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 1300

FOG SIGNAL (Low visibility only) / **RADIOBEACON** (Low visibility and calibration time only)

FOG SIGNAL TIME START	FOG SIGNAL TIME STOP	SIGNAL OPERATED		AIR PRES-SURE	RADIOBEACON TIME START	RADIOBEACON TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES: REGULAR RADIOBEACON		CALIBRATION SERVICES: SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
1300	2100	8	—	15									
TOTAL FOR DAY		8	00		TOTAL FOR DAY								
TOTAL FOR MONTH		10	05	15	TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked Vis A/N
0400 Checked Vis A/N
0500 Secured Main Light
0800 Morning Colors Turn To
0830 Murphy FN Returned From Liberty
1200 Chow down
1300 Turned Too
1340 Turned on Fog horn, Main Light on
1630 SECURED. FROM STATION WORK.
2100 SECURED. FOG HORN. AND. GULL RKS BELL
2000 Colors

W. J. Murphy Fn

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 11 August 1961 Fri LOCATION New Port, R. I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	30.03		71	F	NS	10	1		
0400	SW	1	30.01		74	F	NS	10	1		
0800	SW	1	29.98		77	BZ	NS	10	6		
1200	SW	1	29.98		80	BZ	NS	10	6		
1600	SW	1	29.96		83	F	NS	10	1		
2000	SW	1	29.95		82	F	NS	10	1		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3,810	20	4,300
EXPENDED	10	—	200
REMAINING	3,800	20	4,100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1500

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	0630	6	30	15
0700	0730		30	15
1500	2300	8	00	15
TOTAL FOR DAY		15	00	
TOTAL FOR MONTH		25	15	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Started fog horn & gull rocks bell
ALL A/N NOT VIS
0400 ALL A/N NOT VIS
0630 Secured fog horn & gull rocks bell
0700 Started fog horn & " " "
0730 Secured " " " " " "
0800 Colors, quarters, turned to.
0830 White EN2 departed on liberty
Roy BM1 departed enroute Providence
0900 Sutton SN returned from liberty
1200 Chow down
1300 Turned too
1500 Started fog horn & gull rocks bell, main light on
1600 Secured from work
2000 Colors
2300 Secured fog horn & gull rocks bell

W J Murphy Jr

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 12 August 1961 Sat. LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	29.90		80	OZ	NS	10	6		
0400	SW	1	29.87		78	F	NS	10	2		
0800	SW	1	29.84		76	OZ	NS	10	6		
1200	CALM		29.84		84	BC	AS/ST	10	8		
1600	SW	1	29.80		80	C	ST	10	8		
2000	SW	1	29.79		77	C	ST	10	9		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3,800	20	4,100
EXPENDED	10	—	200
REMAINING	3,790	20	3,900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 1930 Time Lighted 0530

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
0200	0500	03	00	15
TOTAL FOR DAY		3	00	
TOTAL FOR MONTH		22	05	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Check ALL A/N vis
0200 STARTed fog horn & gull Rocks Bell
0400 ALL A/N not vis due To fog
0500 Secured foghornd gull Rocks bell
0500 Secured MAIN Light
0800 Morningcolors, quarters, Turned To
1200 Chow down
1300 Turned Too
1600 Secured from STATION WORK
1945 COLORS, MAINLIGHT on
2000 Checked ALL A/N vis

W J Murphy Jr

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 13 August 1961 Sun. (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	CALM		29.80		76	BC	AS/ST	10	8		
0400	NW	1	29.82		73	BC	AS/ST	10	8		
0800	NW	2	29.84		75	BC	ST/AS	10	8		
1200	W	2	29.89		78	B			8		
1600	W	2	29.99		76	B			8		
2000	W	2	29.99		75	B			8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3,790	20	3,900
EXPENDED	10	–	200
REMAINING	3,780	20	3,700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 1930 Time Lighted 0530

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked ALL A/N VIS
0400 Checked ALL A/N VIS
0500 Secured main Light
0800 Morning colors, quarters, turned to
1200 Chow
1300 Turned to
1600 Secured from Stationwork
1945 Colors Mainlight
2000 Checked all vis A/N

R Sutton

CERTIFIED TO BE CORRECT

Vincent R Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 14 August 1961 Mon (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	W	1	30.03		73	B	-	-	8	-	-
0400	NW	2	30.07		72	B	-	-	8	-	-
0800	NW	3	30.11		72	B	-	-	8	-	-
1200	CALM		30.12		76	BC	ST	2	8	—	—
1600	SW	2	14		70	BC	ST	2	8		
2000	SW	2	15		65	BC	ST	2	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3,780	20	3,700
EXPENDED	10	—	200
REMAINING	3,770	20	3,500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 1930 Time Lighted 0530

FOG SIGNAL (Low visibility only) RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE	TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
										REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH					TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all vis A/N
0400 checked all vis A/N
0700 Secured main light
0800 Morning Colors, TURNED. TO STATION WORK.
0830 STATION boat CG 14585 DEPARTED TO GET
Roy BM-1 FROM LIBERTY
0900 STATION boat CG14585 RETURNED. STATION
1130 SECURED. FOR chow
1230 TURNED. TO STATION WORK.
WJM
~~1530 Station Boat~~
1600 Secured from STATion work
1930 MAIN Light on
1935 COLORS
2000 Checked ALL A/N VIS

W. J. Murphy Jr.

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 15 August 1961 Tue. (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	30 17		60	BC	ST	2	8		
0400	SW	1	3019		65	Bc	AS/ST	8	8		
0800	SW	1	30.20		70	BC	AS/ST	10	8		
1200	SW	3	30.15		72	BC	AS/ST	10	8		
1600	SW	3	30.11		74	BC	AS/ST	10	8		
2000	SW	2	30.09		70	BC	AS/ST	10	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3,770	20	3500
EXPENDED	10	—	200
REMAINING	3,760	20	3,300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0500 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0800 TIME STOP 0900

RADIOBEACON TEST

TIME START TIME STOP

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked ALL A/N VIS

0400 Checked ALL A/N VIS

0500 Secured MAINLIGHT

0800 COLORS, QUARTERS, TURNED TO

0810 STARTED AUX. GENERATOR, TEST RUN

STARTED STATION GENERATOR, TEST

0900 Secured Station Machinery

0930 CG 16585 departed ENROUTE CASTLE HILL LBS,

WITH SUTTON SN, ON REGULAR TRANSFER

1200 Chow DOWN
1300 TURNED TO
1530 CG 16585 mooRed STATION WITH SUPPLIES
1545 CG 40522 MOORED STATION WITH ADAMS, LM 334-030 SA
1550 CG 40522 depARTED STATION
1600 Secured from STATION WORK
1930 COLORS, MAIN LIGHT ON
2000 Checked ALL A/N VIS

W J Murphy Jr

CERTIFIED TO BE CORRECT

Vincent R Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Islad light station

DATE Aug 16 1961 Wed. LOCATION Newport Rhode, Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	30.07		65	BC	AS/ST	10	8		
0400	SW	2	30.05		69	BC	AS/ST	10	8		
0800	SW	2	30.01		72	BZ	NS	10	8		
1200	SW	2	29.98		75	BZ	NS	10	8	—	—
1600	SW	2	30.02		73	BZ	NS	10	8	—	—
2000	SW	2	31.04		72	BZ	NS	10	8		

SUPPLIES (Vessel Report Daily)	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3,760	20	3,300
EXPENDED	10	—	200
REMAINING	3,750	20	3,100

COMPLEMENT	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked ALL A/N V/S
0400 Checked ALL A/N V/S
0500 MAIN Light secured
0800 MORNING COLORS, QUARTERS, TURNED TO
1000 CG 64309 moored STATION
1200 Chow down
1215 CG 64309 departed STATION
1600 CG16585 departed station Murphy
ON liberty
1705 CG16585 moored station
1930 Colors, MAIN light ON
2000 All A/N v/s

L. M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island light Sta.

DATE Aug 17 - 1961 Thur LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	30.04	-	65	B			8	-	-
0400	SE	2	30.01	-	68	B			8	-	-
0800	SE	2	30.02	-	69	B			8	-	-
1200	S	2	30.10	-	70	B			8	-	-
1600	SW	2	30.08	-	69	B			8	-	-
2000	SE	2	30.06	-	68	B				-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3,750	20	3,100
EXPENDED	10	—	200
REMAINING	3,740	20	2,900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked All A/N vis
0400 Checked All A/N vis
0500 MAIN light secured
0800 MORNING colors, quarters, turned to
1200 Chow down
1235 CG16585 departed station for mail & supplies
1330 CG16585 Moored station.
1600 Secured from work
1630 CG16585 departed Gull Rocks
1700 Chow down
1900 CG16585 moored station
1930 Main light turned on, colors
2000 Checked All A/N vis

Larry M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island light Sta.

DATE Aug 18 1961 Fri. (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SE	2	30.01	–	56	BC			8	–	–
0400	SE	2	30.35	–	68	BC			8	–	–
0800	N	2	30.35	–	74	BC			8	–	–
1200	S	2	30.34	–	78	BC			8	–	–
1600	S	2	30.30	–	76	BC			8	–	–
2000	S	2	30.30		74	BC			8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3,740	20	2,900
EXPENDED	10	–	200
REMAINING	3,730	20	2,700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked All A/N U's
0400 Checked All A/N U's
0800 Colors - quarters - turned to
1200 Chow down
1215 CG 16585 departed station
1240 CG 16585 moored station
1300 Turned to
1600 Secured from work
1700 Chow down
*2000 Checked All A/N U's
1930 TURNEd ON MAIN LIGHT HELd EVENING COLORS.
VRR.

Larry M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R. Rog
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE SATURDAY 19, AUG. 1961 LOCATION NEWPORT, R.I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	CALM		30.29	–	65						
0400	CALM		30.27	–	65						
0800	SW	1	30.22	–	70	BC/2	AS/ST	5	8	–	–
1200	SW	2	30.19	–	80	B/C.	AS/ST	10	8		
1600	SW	2	30.15	–	74	BC	AS/ST	10	8		
2000	SW	2	30.11	–	69	BC	AS/ST	10	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3,730	20	2,700
EXPENDED	10	–	200
REMAINING	3,720	20	2,500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked Vis A/N
0400 Checked Vis A/N
0600 SECURED MAIN LIGHT
0800 MORNING COLORS
0805 TURNED TO STATION WORK.
0830 Murphy FN Returned from LIBERTY
1000 Adams SA departed on Liberty
1200 Chow down
1300 Turned to
1600 Secured from STATION WORK
1930 MAIN LIGHT ON, COLORS
2000 Checked ALL A/N VIS

W J Murphy Fn

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light

DATE Sun. 20 Aug. 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	30.08	–	65	BC	AS/ST	10	8	–	–
0400	SW	1	30.05	–	70	BC	AS/ST	10	8	–	–
0800	SW	1	30.03	–	75	BC	AS/ST	10	8	–	–
1200	SW	1	30.00	–	80	O	ST. N.S	10	8	–	–
1600	SW	1	30.00	–	79	BC	ST	4	8	–	–
2000	SW	1	29.99	–	77	BC.	ST	4	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3,720	20	2,500
EXPENDED	10	–	200
REMAINING	3,710	20	2,300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1930

FOG SIGNAL (Low visibility only)

RADIOBEACON (Low visibility and calibration time only)

FOG SIGNAL TIME START	FOG SIGNAL TIME STOP	SIGNAL OPERATED		AIR PRESSURE	RADIOBEACON TIME START	RADIOBEACON TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON		CALIBRATION SERVICES SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH					TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked AAL A/N U/S

0400 Checked ALL A/N U/S

0600 Secured MAIN Light

0800 Morningcolors, quarters, turned to

1200 Chowdown

1300 Turned to

1600 SECURED. FROM STATION WORK.

1830 TURNED. ON MAIN LIGHT.

1900 HELD. EVENING COLORS.

Vincent R. Roy.

CERTIFIED TO BE CORRECT

Vincent R. Roy

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose. Is. Lt. Station

DATE Monday 21, Aug. 1961 (Insert day of week, day, month, year) LOCATION Newport. R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NE	3	29.97		77	O/R	NS	10	6	—	—
0400	NE	3	29.92		76	O/R	NS	10	2	—	—
0800	NE.	4	29.92	—	71	O/R./F	NS	10	1	—	—
1200	NE	2	29.94	—	66	O/R	NS	10	5	—	—
1600	SE	1	29.90	—	65	O/R	NS	10	6	—	—
2000	SW	2	2989	—	63	O/2	ST	8	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3,710	20	2,300
EXPENDED	10	—	200
REMAINING	3,700	20	2,100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2.	

MAIN LIGHT Time Extinguished 0830 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0630	0830	2	—	15
TOTAL FOR DAY		2	00	
TOTAL FOR MONTH		30	15	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked Vis A/N
0400 Checked Vis A/N
0630 TURNED ON FOG HORN AND GULL RKS BELL
0800 MORNING COLORS. TURNED TO STATION WORK.
0830 SECURED FOG SIGNAL AND GULL RKS BELL
1200 Chow down
13000 TURNED To
1600 Secured from STATION WORK
1700 STARTED Fog SIGNAL & gull Rocks Bell, MAIN Light ON
1800 Secured Fog SIGNAL & gull ROCKS BELL
1930 Colors
2000 Checked ALL A/N VIS

W J Murphy Jr

CERTIFIED TO BE CORRECT

Vincent R Roy
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tue Aug 22 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	29.93	-	69	OZ	NS	10	8		
0400	SW	2	29.95	-	73	BC	ST	10	8		
0800	WSW	2	29.98	-	77	BC	AS/ST	10	8		
1200	WSW	2	29.99	-	78	BC	AS/ST	10	8		
1600	SW	2	30.04	-	70	BC	AS/ST	10	8		
2000	SW	2	30.03		65	BC	AS/ST	10	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3700	20	2100
EXPENDED	10	—	100
REMAINING	3690	20	2000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0530 Time Lighted 0930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked ALL A/N vis

0400 Checked ALL A/N vis

0630 Secured MAIN Light

0800 Morning colors, quarters, Turned To

0930 Started ALL STATion machinery, Test

1030 Secured ALL STATION machinery, TEST Run

1100 Roy BM1 departed in CG 16585 To pick up mail, chow, Liberty party

1200 Chow down.

1300 CG 16585 moored station

1600 Secured from work

1700 Main light ON - Chow down

1900 Colors

2000 Checked All A/N vis

L.M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Aug. 23 1961 Wed LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	30.04	65	69	R	NS	10	8	cAlm	
0400	SW	2	30.06	67	69	R	NS	10	8	cAlm	
0800	SW	2	30.20	68	–	R	NS	10	8	cAlm	
1200	CALM		30.22	68	–	OZ	NS	10	8	cAlm	
1600	SW	1	30.29	67	–	OZ	NS	10	6	CAlm	
2000	SW	1	30.17	68	–	OZ	NS	10	6	CAlm	

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3690	20	2000
EXPENDED	10	—	200
REMAINING	3680	20	1800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked All A/N vis
0400 Checked All A/N vis
0630 Main light off
0800 Morning colors - quarters - turned to
0930 Murphy FN departed Station to pick up liberty party & supplies
1030 Murphy FN moored with White EN2 & supplies
1200 Chow down
1300 Turned to
1600 Secured from work
1830 Main light on
1845 colors
2000 Checked all A/N vis

L.M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R. Rof
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Aug 24 1961 Thu LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	30.09	65		OZ	NS	10	6	CAlm	
0400	CAlm		30.07	65		OF	~~NS~~	~~—~~	0	cAlm	
0800	CAlm		30.24	66		OF	—	—	0	CAlm	
1200	CALM		3024	68		OF	NS	10	1	—	—
1600	Calm		3024	69		OF	NS	10	0	cAlm	
2000	CAlm		3021	66		OF	NS	10	0	CAlm	

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3680	20	1800
EXPENDED	10	–	100
REMAINING	3670	20	1700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished Cont. Time Lighted Cont.

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0600	2400	18	—	15
TOTAL FOR DAY		18	—	15
TOTAL FOR MONTH		48	15	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked All A/N vis

0400 Checked All A/N ~~not~~ vis
0600 Fog in, fog signal turned on
0800 Colors, quarters, turned to
0945 CG 40522 moored station with Electriction
0950 CG 40522 departed station
1100 Started Station generators
1200 Chow down
1600 Electriction installed New Water & Lub oil Controls
on Emer. Gen.
1630 Electriction Departed Unit on CG 40522
1630 Secured from station work
1945 Evening colors
2000 Checked All A/N not vis

L. M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R Roy
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Aug 25 1961 Fri LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	30.21	64		OF	NS	8	0	Calm	
0400	SW	1	30.19	62		OF	NS	8	0	Calm	
0800	SW	1	30.20	64		OF	NS	10	1	calm	
1200	SW	2	30.14	78		OF	NS	8	1	Calm	
1600	SW	2	30.06	76		OF	NS	8	0	Calm	
2000	SW	2	30.03	75		OF	NS	8	0	Calm	

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3670	20	1700
EXPENDED	10	—	100
REMAINING	3660	20	1600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 1345 Time Lighted CONT

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
2400	1345	13	45	15
1630	1630	1	00	15
1645	2400	7	15	15
TOTAL FOR DAY	22	~~73~~	~~[illegible]~~	
TOTAL FOR MONTH		60	15	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked All A/N not vis

0400 Checked All A/N not vis

0800 Colors, quarters, turned to

0930 CG 16585 departed station with Murphy FN for liberty

1000 CG16585 moored station

1200 Chow down

1300 Turned to

1345 Main light secured

1530 Started Main Light Fog Horn & Gull (RKs Bell)

1630 Secured Main Light Fog Horn & Gull RKs. Bell

Expended 10 gals. gasoline 1 2/3 qts. Lub. Oil For Out Board Motor

1645 Fog horn on main light on & Gull RKs' bell on

2000 Evening colors

2000 All A/N not vis

L. M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Aug 26 1961 Sat (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	30.02		69	OF	NS	10	0	Calm	
0400	SW	2	30.22		67	OF	NS	10	0	Calm	
0800	SW	2	30.04		71	OF	NS	10	0	Calm	
1200	SW	2	30.04		72	OF	NS	10	0	Calm	
1600	SW	2	29.98		76	OZ	NS	10	7	Calm	
2000	SW	2	29.96		72	OF	NS	10	0	Calm	

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3660	20	1600 ~~1700~~
EXPENDED	10	—	100 ~~100~~
REMAINING	3650	20	1500 ~~1600~~

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished CONT. Time Lighted 1700

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
2400	1300	13	00	15
1700	2400	7	00	15
TOTAL FOR DAY		20	00	
TOTAL FOR MONTH		80	15	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 All A/N not vis
0400 All A/N not vis
0800 Colors, quarters, turned
0830 CG40522 moored station with Refrigerator.
0915 CG40522 departed station with White EN2 for liberty
1200 Chow down
1300 Secured main light, Gull RK's bell foghorn
1600 Secured from work
1700 Turned on main light, Gull RK's Bell Foghorn
1930 All A/N not vis - colors
2000 Checked All A/N not vis

L. M. Adams SA

CERTIFIED TO BE CORRECT

Vincent Roy
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Aug 27- 1961 Sun (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	29.94	71		OF	NS	10	0	–	–
0400	SW	2	29.98	70		OF	NS	10	0	–	–
0800	SW	2	29.96	73		OF	NS	10	0	–	–
1200	SW	2	29.90	76		OF	NS	10	0	–	–
1600	SW	2	29.84	75		OZ	NS	10	6	–	–
2000	SW	2	29.85	72		OZ	NS	10	5	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3650	20	1500
EXPENDED	10	—	100
REMAINING	3640	20	1400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0830 Time Lighted 1900

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
2400	0830	8	30	15
1100	1315	2	15	15
TOTAL FOR DAY		10	45	
TOTAL FOR MONTH		9[illegible]	—	

91 00

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked All A/N not u/s
0400 Checked All A/N not u/s
0800 Raised morning colors, quarters - turned to
0830 Secured main light, Gull Rks' Bell, fog horn
1100 Fog in turned on main light, Gull Rk's Bell
fog horn
1200 Chow down
1315 Secured main light, Gull Rk's bell & fog horn
1600 Secured from station work
1900 Main light on - colors
2000 All A/N u/s

L.M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Aug 28, 1961 Mon LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	29.94		70	OZ	ASST	10	6	-	-
0400	SW	2	29.95		71	OZ	ASST	10	6	-	-
0800	CAlm		29.92		78	OZ	ASST	10	6	-	-
1200	NE	2	29.90		82	OZ	ASSt	10	7	-	-
1600	NW	2	29.87		81	BC	AS/ST	10	8	-	-
2000	SW	2	29.89		76	OF	NS	10	5	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3,640	20	10,000
EXPENDED	10	—	50
REMAINING	3,630	20	9,950

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	4	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
2000	2400	4	—	
TOTAL FOR DAY		4	00	
TOTAL FOR MONTH		95	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 All A/N vis
0400 All A/N vis
0530 Secured main light
0800 Colors, quarters, turned to
0830 CG16585 departed station for supplies
& liberty party.
1115 CGC Spar anchored station with
8,000 gal. water
1215 CGC Spar departed station
1230 CG16585 departed station for
liberty party
0900 CG16585 moored station with Murphy FN
& Supplies
1300 CG16585 moored station with White EN2
Turned To
1630 Secured from station work
1830 Main light on
2000 Fog in, Gull Rks bell on, fog horn
on, colors All A/N not vis
L. M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Aug 29 1961 Tue (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	29.94	71		OF	NS	10	0	—	—
0400	SW	2	29.89	73		OF	NS	10	0	—	—
0800	SW	2	29.91	70		OF	NS	10	0	—	—
1200	S	2	29.80	76		OF	NS	10	2	—	—
1600	SW	2	29.72	77		OZ	ASST	10	6	—	—
2000	Calm		29.72	74		OZ	ASST	10	7	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3,640	20	10,000
EXPENDED	10	—	200
REMAINING	3,630	20	8,800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	4	

MAIN LIGHT Time Extinguished 1500 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
0000	1500	15	00	
TOTAL FOR DAY		15	00	
TOTAL FOR MONTH		110	—	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked All A/N not u.s
0400 Checked All A/N not u.s
0800 Colors, quarters - turned to
1200 Chow down
1300 Turned to
1500 Secured Main light, Gull Rk's bell, foghorn
1600 CG40522 moored station with supplies
1615 CG40522 departed station
1630 CG16585 departed station enroute Newport
~~with~~ with White EN2 & Adams SA for
chow
1733 CG16585 moored station with chow
1900 Main light on
1915 colors
2000 Checked All A/N u.s

L. M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Aug 30 1961 Wed (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	N	2	29.82		75	BC	ASST	10	8	-	-
0400	N	2	29.80		76	BC	ASST	10	8	-	-
0800	N	2	29.89		84	BC	ASST	10	8	-	-
1200	N	2	29.89		83	BC	ASST	10	8	-	-
1600	N	2	29.89		74	BC	ASST	10	8	-	-
2000	N	2	29.90		73	BC	ASST	10	8	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3,630	20	8,800
EXPENDED	10	—	200
REMAINING	3,620	20	8,600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED		
AL, AWL, AOL		
AH		
PRESENT	4	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1900

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked All A/N u's

0400 Checked All A/N u's

0530 Main light off

0800 Morning colors, quarters, turned to

1200 Chow down

1245 CG16585 departed station for mail

1300 Turned to

1315 CG16585 ~~departed~~ moored station with mail

1630 Secured station work

1900 Main light on

1915 Colors

2000 Checked All A/N u's

L. M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Aug 31, 1961 Thur LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	CAlm		29.90		70	BC	ASST	10	8	—	—
0400	CAlm		29.92		74	BC	ASST	10	8	—	—
0800	SW	2	29.89		74	BC	ASST	10	8	-	-
1200	SW	2	29.86		82	BC	ASST	10	8	-	-
1600	SW	2	29.82		82	BC	ASST	10	8	-	—
2000	SW	2	29.89		80	BZ	ASST	10	8	-	-

SUPPLIES (Vessel Report Daily)	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3,620	20	8,600
EXPENDED	10	—	200
REMAINING	3,610	20	8,400

COMPLEMENT	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	4	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1900

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked All A/N U's
0400 Checked All A/N U's
0630 Secured Main light
0800 Colors - quarters, turned to
0730 CG16585 departed station enroute Newport for mail
0900 CG16585 moored station
1000 CG16585 departed station enroute Castle Hill
1200 Chow down
1300 Turned to
1415 CG16585 moored station
1600 Secured station work
1900 Main Light on
1915 Colors
2000 Checked All A/N U's

L. M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R. Roy.
(Officer in Charge)